# **Calcium Bolus**

## agilan® Complementary feed

## Mineral feed

### For cattle

#### Composition

Skimmed milk powder, magnesium oxide, potato starch, dextrose

#### **Analytical constituents**

Crude protein	3.7 %
Crude fibre	2.8 %
Crude fat	3.7 %
Crude ash	60.4 %
Magnesium	3.3 %
Calcium	22.3 %
Sodium	0.0 %
Phosphorus	0.0 %

#### Content of additives per kg

#### Vitamins:

 Vitamin A (3a672a)
 230,000 I.U.

 Vitamin D3 (3a671)
 46,000 I.U.

 Vitamin E (3a700)/
 4,600 mg

all rac-α-tocopherylacetate

Preservatives:

Calcium formate (E238) 700,000 mg

#### Feeding recommendation

2 – 3 pieces (each 110 g) per day, administer orally with commercial donors.

#### **Feeding instructions**

Due to the increased content of vitamin A and D<sub>3</sub> compared to complete feed, this complementary feed may only be used up to max. 3.9 % of the daily ration. Simultaneous use with vitamin D<sub>2</sub> is not allowed.

#### Recommended use

Calcium Bolus is based on the particularly well-tolerated calcium formate and is characterized by a needs-based dosage of vitamin A, D<sub>3</sub> and E supplements. By the continuous delivery of formate bound Ca, Calcium Bolus reduces the risk of feeding-related milk fever (hypocalcemia) and improves the energy supply.

#### Storage

Store in a dry place.

Seal container well after use, so that there is no moisture.

Shelf life guarantee is only valid for unopened packages in dry, cool storage (2-25  $^{\circ}$ C).

Date of revision of the text: August 2021

6900/K/08/21A



